

WEST Search History

DATE: Tuesday, November 08, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L113	L112 and @pd > 20051012	0
<input type="checkbox"/>	L112	L111 and @pd > 20050311	0
<input type="checkbox"/>	L111	communication pattern near5 exist\$4	7
		<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L110	communication pattern near5 exist\$4	1
<input type="checkbox"/>	L109	(determin\$4 or detect\$4) with communication pattern near5 exist\$4	0
		<i>DB=PGPB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L108	(determin\$4 or detect\$4) with communication pattern near5 exist\$4	0
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L107	(determin\$4 or detect\$4) with communication pattern near5 exist\$4	0
<input type="checkbox"/>	L106	(determin\$4 or detect\$4) near5 communication pattern near3 exist\$4	0
<input type="checkbox"/>	L105	communication pattern	515
<input type="checkbox"/>	L104	(determin\$4 or detect\$4 or receiv\$4) with number adj3 packet with (source or destination or network address) adj5 address with time	12
<input type="checkbox"/>	L103	(determin\$4 or detect\$4 or receiv\$4) with number adj3 packet with (identical or similar) with (source or destination or network address) adj5 address	3
<input type="checkbox"/>	L102	(determin\$4 or detect\$4 or receiv\$4) with number adj3 packet with (identical or similar) adj (source or destination or network address) adj5 address	0
<input type="checkbox"/>	L101	(determin\$4 or detect\$4 or receiv\$4) near5 number adj3 packet near5 (identical or similar) adj (source or destination or network address) adj5 address	0
		<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L100	L99 and @pd > 20050323	8
<input type="checkbox"/>	L99	L98 and L94	36
<input type="checkbox"/>	L98	(establish\$3 or creat\$4 or configur\$6) near5 trunk\$4	3880
<input type="checkbox"/>	L97	L96 and trunk\$4	3
<input type="checkbox"/>	L96	(device or switch or computer or host or server) near5 (detect\$4 or determin\$4 or monitor\$4 or receiv\$4 or mac) near5 (predetermined or certain or threshold or specif\$4) near5 packet near5 (source or destination or network) adj3 address	18
<input type="checkbox"/>	L95	(device or switch or computer or host or server) near5 (detect\$4 or determin\$4 or monitor\$4 or receiv\$4 or mac) near5 (predetermined or certain or threshold or specif\$4) adj3 packet near5 (source or destination or network) adj3 address	0
<input type="checkbox"/>	L94	(device or switch or computer or host or server) near5 (detect\$4 or determin\$4 or monitor\$4 or receiv\$4 or mac) near5 packet near5 (source or destination or	768

	network) adj3 address	
<input type="checkbox"/>	L93 (device or switch or computer or host or server) near5 (detect\$4 or determin\$4 or monitor\$4 or receiv\$4) near5 packet near5 (source or destination or network) adj3 address	723
<input type="checkbox"/>	L92 (device or switch or computer) near5(detect\$4 or determin\$4 or monitor\$4) near5 packet near3 (source or destination or network) adj3 address	124
<input type="checkbox"/>	L91 (detect\$4 o determin\$4 or monitor\$4) near5 packet near3 (source or destination or network) adj3 address	94
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L90 6275861.pn.	1
<input type="checkbox"/>	L89 L88 and L80	2
<input type="checkbox"/>	L88 (709/238).ccls.	1307
<input type="checkbox"/>	L87 aggregat\$6 adj2 link\$4 same trunk\$4	16
<input type="checkbox"/>	L86 L83 and (aggregat\$3 adj2 link\$4 or trunk\$4)	6
<input type="checkbox"/>	L85 L83 and (aggreat\$3 adj2 link\$4 or trunk\$4)	6
<input type="checkbox"/>	L84 L83 and trunk\$4	6
<input type="checkbox"/>	L83 receiv\$4 with packet with (source or destnation) adj2 address with time	58
<input type="checkbox"/>	L82 receiv\$4 near5 packet near5 (sourec or destnation) adj2 address near5 time	0
<input type="checkbox"/>	L81 L79 same trunk\$3	38
<input type="checkbox"/>	L80 L79 same (trunk\$43 or aggregat\$6)	59
<input type="checkbox"/>	L79 receiv\$4 near5 packet near5 time	4699
<input type="checkbox"/>	L78 6614758.pn. or 6363077.pn.	2
	<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L77 L75 and l52	2
<input type="checkbox"/>	L76 L75 and l8	8
<input type="checkbox"/>	L75 709/224.ccls.	4342
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L74 20040037278	1
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L73 L72 and @pd > 20050515	0
<input type="checkbox"/>	L72 L71 and @pd > 20050311	0
<input type="checkbox"/>	L71 communication pattern near5 exist\$4	7
	<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L70 communication pattern near5 exist\$4	1
<input type="checkbox"/>	L69 (determin\$4 or detect\$4) with communication pattern near5 exist\$4	0
	<i>DB=PGPB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L68 (determin\$4 or detect\$4) with communication pattern near5 exist\$4	0
	<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L67 (determin\$4 or detect\$4) with communication pattern near5 exist\$4	0
<input type="checkbox"/>	L66 (determin\$4 or detect\$4) near5 communication pattern near3 exist\$4	0

<input type="checkbox"/>	L65	communication pattern	515
<input type="checkbox"/>	L64	(determin\$4 or detect\$4 or receiv\$4) with number adj3 packet with (source or destination or network address) adj5 address with time	12
<input type="checkbox"/>	L63	(determin\$4 or detect\$4 or receiv\$4) with number adj3 packet with (identical or similar) with (source or destination or network address) adj5 address	3
<input type="checkbox"/>	L62	(determin\$4 or detect\$4 or receiv\$4) with number adj3 packet with (identical or similar) adj (source or destination or network address) adj5 address	0
<input type="checkbox"/>	L61	(determin\$4 or detect\$4 or receiv\$4) near5 number adj3 packet near5 (identical or similar) adj (source or destination or network address) adj5 address	0
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L60	L59 and @pd > 20050323	8
<input type="checkbox"/>	L59	L58 and L54	36
<input type="checkbox"/>	L58	(establish\$3 or creat\$4 or configur\$6) near5 trunk\$4	3880
<input type="checkbox"/>	L57	L56 and trunk\$4	3
<input type="checkbox"/>	L56	(device or switch or computer or host or server) near5 (detect\$4 or determin\$4 or monitor\$4 or receiv\$4 or mac) near5 (predetermined or certain or threshold or specif\$4) near5 packet near5 (source or destination or network) adj3 address	18
<input type="checkbox"/>	L55	(device or switch or computer or host or server) near5 (detect\$4 or determin\$4 or monitor\$4 or receiv\$4 or mac) near5 (predetermined or certain or threshold or specif\$4) adj3 packet near5 (source or destination or network) adj3 address	0
<input type="checkbox"/>	L54	(device or switch or computer or host or server) near5 (detect\$4 or determin\$4 or monitor\$4 or receiv\$4 or mac) near5 packet near5 (source or destination or network) adj3 address	768
<input type="checkbox"/>	L53	(device or switch or computer or host or server) near5 (detect\$4 or determin\$4 or monitor\$4 or receiv\$4) near5 packet near5 (source or destination or network) adj3 address	723
<input type="checkbox"/>	L52	(device or switch or computer) near5 (detect\$4 or determin\$4 or monitor\$4) near5 packet near3 (source or destination or network) adj3 address	124
<input type="checkbox"/>	L51	(detect\$4 or determin\$4 or monitor\$4) near5 packet near3 (source or destination or network) adj3 address	94
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L50	6275861.pn.	1
<input type="checkbox"/>	L49	L48 and L40	2
<input type="checkbox"/>	L48	(709/238).ccls.	1307
<input type="checkbox"/>	L47	aggregat\$6 adj2 link\$4 same trunk\$4	16
<input type="checkbox"/>	L46	L43 and (aggregat\$3 adj2 link\$4 or trunk\$4)	6
<input type="checkbox"/>	L45	L43 and (aggregat\$3 adj2 link\$4 or trunk\$4)	6
<input type="checkbox"/>	L44	L43 and trunk\$4	6
<input type="checkbox"/>	L43	receiv\$4 with packet with (source or destination) adj2 address with time	58
<input type="checkbox"/>	L42	receiv\$4 near5 packet near5 (source or destination) adj2 address near5 time	0
<input type="checkbox"/>	L41	L39 same trunk\$3	38
<input type="checkbox"/>	L40	L39 same (trunk\$43 or aggregat\$6)	59

<input type="checkbox"/>	L39	receiv\$4 near5 packet near5 time	4699
<input type="checkbox"/>	L38	6614758.pn. or 6363077.pn.	2
<input type="checkbox"/>	L37	L36 and @pd > 20050503	0
<input type="checkbox"/>	L36	aggregat\$6 adj2 link\$4 same trunk\$4	16
<input type="checkbox"/>	L35	L32 and (aggregat\$3 adj2 link\$4 or trunk\$4)	6
<input type="checkbox"/>	L34	L32 and (aggreat\$3 adj2 link\$4 or trunk\$4)	6
<input type="checkbox"/>	L33	L32 and trunk\$4	6
<input type="checkbox"/>	L32	receiv\$4 with packet with (source or destnation) adj2 address with time	58
<input type="checkbox"/>	L31	receiv\$4 near5 packet near5 (sourec or destnation) adj2 address near5 time	0
<input type="checkbox"/>	L30	L28 same trunk\$3	38
<input type="checkbox"/>	L29	L28 same (trunk\$43 or aggregat\$6)	59
<input type="checkbox"/>	L28	receiv\$4 near5 packet near5 time	4699
<input type="checkbox"/>	L27	6614758.pn. or 6363077.pn.	2
		<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L26	L25 and @pd > 20050515	4
<input type="checkbox"/>	L25	L24 and L20	36
<input type="checkbox"/>	L24	(establish\$3 or creat\$4 or configur\$6) near5 trunk\$4	3880
<input type="checkbox"/>	L23	L22 and trunk\$4	3
<input type="checkbox"/>	L22	(device or switch or computer or host or server) near5 (detect\$4 or determin\$4 or monitor\$4 or receiv\$4 or mac) near5 (predetermined or certain or threshold or specif\$4) near5 packet near5 (source or destination or network) adj3 address	18
<input type="checkbox"/>	L21	(device or switch or computer or host or server) near5 (detect\$4 or determin\$4 or monitor\$4 or receiv\$4 or mac) near5 (predetermined or certain or threshold or specif\$4) adj3 packet near5 (source or destination or network) adj3 address	0
<input type="checkbox"/>	L20	(device or switch or computer or host or server) near5 (detect\$4 or determin\$4 or monitor\$4 or receiv\$4 or mac) near5 packet near5 (source or destination or network) adj3 address	768
<input type="checkbox"/>	L19	(device or switch or computer or host or server) near5 (detect\$4 or determin\$4 or monitor\$4 or receiv\$4) near5 packet near5 (source or destination or network) adj3 address	723
<input type="checkbox"/>	L18	(device or switch or computer) near5(detect\$4 or determin\$4 or monitor\$4) near5 packet near3 (source or destination or network) adj3 address	124
<input type="checkbox"/>	L17	(detect\$4 o determin\$4 or monitor\$4) near5 packet near3 (source or destination or network) adj3 address	94
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L16	6275861.pn.	1
<input type="checkbox"/>	L15	L14 and @pd > 20050515	0
<input type="checkbox"/>	L14	communication pattern near5 exist\$4	7
		<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L13	communication pattern near5 exist\$4	1
<input type="checkbox"/>	L12	(determin\$4 or detect\$4) with communication pattern near5 exist\$4	0

DB=PGPB; PLUR=YES; OP=ADJ

☐ L11 (determin\$4 or detect\$4) with communication pattern near5 exist\$4 0

DB=USPT; PLUR=YES; OP=ADJ

☐ L10 (determin\$4 or detect\$4) with communication pattern near5 exist\$4 0

☐ L9 (determin\$4 or detect\$4) near5 communication pattern near3 exist\$4 0

☐ L8 communication pattern 515

☐ L7 (determin\$4 or detect\$4 or receiv\$4) with number adj3 packet with (source or destination or network address) adj5 address with time 12

☐ L6 (determin\$4 or detect\$4 or receiv\$4) with number adj3 packet with (identical or similar) with (source or destination or network address) adj5 address 3

☐ L5 (determin\$4 or detect\$4 or receiv\$4) with number adj3 packet with (identical or similar) adj (source or destination or network address) adj5 address 0

☐ L4 (determin\$4 or detect\$4 or receiv\$4) near5 number adj3 packet near5 (identical or similar) adj (source or destination or network address) adj5 address 0

DB=PGPB,USPT; PLUR=YES; OP=ADJ

☐ L3 (monitor\$\$ or detect\$4 or receiv\$43) near5 (packet or frame or datagram) same (identical or sam\$2 or similar) near5 (source or destination) adj2 address same (predetermin\$4 or specified) near3 (time or period) 12

☐ L2 L1 same (period or time) 18

☐ L1 (monitor\$\$ or detect\$4) near5 (packet or frame or datagram) same (identical or sam\$2 or similar) near5 (source or destination) adj2 address 47

END OF SEARCH HISTORY